



PRESTIGE HYPERBARIC

2026 SAUNA COLLECTION

Your sauna. A different light.

SARL sauna red light panels

A complete buying guide
prepared for Jorge

Four sizes. Eight wavelengths.
Sauna-specific durability.
3-year warranty.

Panel prices from \$2,390 to \$9,260.
Professional installation is available
at an additional cost.



Edited marketing image: red illumination digitally enhanced.
Not documentation of an installed SARL panel.

Size, power and price. Side by side.

All prices are USD for the panel only. Dimensions are L × W × D.

PRESTIGE MODEL	SARL-200	SARL-400	SARL-600	SARL-800
Dimensions (in)	21.32 × 11.81 × 2.68	38.41 × 11.81 × 2.68	55.49 × 11.81 × 2.68	72.58 × 11.81 × 2.68
LED count	200	400	600	800
Net weight (lb)	14.8	26.9	37.5	51.1
Rated power	140 W	280 W	420 W	560 W
Retail price	\$2,390	\$4,680	\$6,850	\$9,260

IRRADIANCE AT 6 INCHES

MODE / MINIMUM	SARL-200	SARL-400	SARL-600	SARL-800
ALL · mW/cm ²	110	110	100	100
RED · mW/cm ²	23.5	23	21	22
NIR · mW/cm ²	97	96	87	90

Manufacturer-reported minimum irradiance, not independently tested. ALL, RED and NIR are separate modes; do not add the readings. Power is rated input at 110V (±10%), not optical output. Dimensions are nominal (±0.20 in); net weight tolerance ±1.1 lb.

SARL-200 Sauna Red Light Panel



AI-generated marketing illustration based on the supplied product photo. Not a customer installation.

A compact panel. A purpose-built sauna upgrade.

Bring eight-wavelength red and near-infrared light to a smaller wall area. The compact 200-LED format makes space planning straightforward without giving up the sauna-specific protection shared across the range.

\$2,390

USD · PANEL ONLY
Professional installation quoted separately

Panel size	21.32 × 11.81 × 2.68 in
LEDs / power	200 LEDs / 140 W
ALL irradiance at 6 in	110 mW/cm ² minimum
Net weight	14.8 lb
Warranty	3 years

Dry: max. 149°F / 20% RH.
Wet / steam: max. 122°F / 80% RH.
Both limits apply at the panel. Fit and installation requirements apply.

SARL-400 Sauna Red Light Panel



AI-generated marketing illustration based on the supplied product photo. Not a customer installation.

More panel length. The same sauna-first design.

Step up to a 400-LED panel for a longer red and near-infrared light source. The mid-length format pairs eight wavelengths with simple controls, moisture resistance and built-in overheat protection.

\$4,680

USD · PANEL ONLY
Professional installation quoted separately

Panel size	38.41 × 11.81 × 2.68 in
LEDs / power	400 LEDs / 280 W
ALL irradiance at 6 in	110 mW/cm ² minimum
Net weight	26.9 lb
Warranty	3 years

Dry: max. 149°F / 20% RH.
Wet / steam: max. 122°F / 80% RH.
Both limits apply at the panel. Fit and installation requirements apply.

SARL-600 Sauna Red Light Panel



AI-generated marketing illustration based on the supplied product photo. Not a customer installation.

A taller light source for a thoughtfully planned sauna.

The 600-LED model brings a taller red and near-infrared light source to your sauna layout. Its slim depth keeps the panel close to the wall, with the same eight-wavelength platform and environmental protection as the smaller models.

\$6,850

USD · PANEL ONLY
Professional installation quoted separately

Panel size	55.49 × 11.81 × 2.68 in
LEDs / power	600 LEDs / 420 W
ALL irradiance at 6 in	100 mW/cm ² minimum
Net weight	37.5 lb
Warranty	3 years

Dry: max. 149°F / 20% RH.
Wet / steam: max. 122°F / 80% RH.
Both limits apply at the panel. Fit and installation requirements apply.

SARL-800 Sauna Red Light Panel



AI-generated marketing illustration based on the supplied product photo. Not a customer installation.

Our longest sauna panel. Designed around durability.

Choose the 800-LED model when your sauna has room for the longest panel in the SARL range. A full-length format brings eight-wavelength red and near-infrared light to a larger wall area without changing the range's slim width and depth.

\$9,260

USD · PANEL ONLY
Professional installation quoted separately

Panel size	72.58 × 11.81 × 2.68 in
LEDs / power	800 LEDs / 560 W
ALL irradiance at 6 in	100 mW/cm ² minimum
Net weight	51.1 lb
Warranty	3 years

Dry: max. 149°F / 20% RH.
Wet / steam: max. 122°F / 80% RH.
Both limits apply at the panel. Fit and installation requirements apply.

Sauna-specific design. Across the range.

State-of-the-art sauna-focused design, new for 2026.

Designed around heat and moisture

IP65-rated housing and built-in overheat protection support use in the specified sauna environments. The enclosure combines a steel shell with polycarbonate housing components. These features do not remove the temperature, humidity or placement limits.

Eight wavelengths. Three modes.

RED: 630 / 650 / 660 / 670 nm

NIR: 810 / 830 / 850 / 1060 nm

Modes: RED, NIR or ALL together

Controls: Adjustable brightness and a 2.4GHz wireless remote

Optics: 30° lens angle

Included with your panel

- Your selected SARL sauna panel
- Power cable with destination-appropriate plug
- 2.4GHz wireless remote
- Eye-protection glasses
- Adjustable hanging cable
- Steel suspension cable
- Product manual

3-YEAR WARRANTY

Ask for the applicable written terms before ordering.

The sauna itself, site-specific electrical work and professional installation are not included. Final brightness-control configuration is confirmed with your order.

Confirm fit. Choose your panel.

Professional installation is available for an additional cost.

DRY SAUNA

149°F maximum

20% relative humidity maximum

WET / STEAM ROOM

122°F maximum

80% relative humidity maximum

Compatible with all sauna brands, where the space and operating requirements permit.

Confirm panel dimensions, secure mounting, electrical supply and both environmental limits at the panel location. If your sauna exceeds either limit there, that configuration is not suitable. IP65 is not approval for immersion, direct water spray or unlimited steam.

Electrical planning

All models: 100–240V AC, 50/60Hz.

Working current at 110V / 220V (±5%):

SARL-200: 1.28A / 0.64A

SARL-400: 2.54A / 1.27A

SARL-600: 3.82A / 1.91A

SARL-800: 5.1A / 2.5A

For wellness use; no disease-treatment or prevention claims. Specifications supplied to Prestige; manufacturer-reported figures. Photos are illustrative, not installation instructions. Pricing prepared September 24, 2026.

Your final quote

Select the panel, then confirm shipping, tax, delivery timing and any optional professional installation. Installation scope and charges are quoted separately. Review written warranty terms and follow the manual and eye-protection guidance.

Plan your sauna upgrade with Prestige
prestigehyperbaric.com/contact.html